




FIELDMANN®
Home & Garden Performance



FZDO 1007

English.....	3-32
Čeština.....	33-62
Slovenščina.....	63-92
Magyarul.....	93-122
Polski.....	123-152

Garden Shed

OWNER'S MANUAL

Thank you for purchasing this garden shed. Before you start using it, please, carefully read this user's manual and save it for possible future use.

Table of Contents

1. CONDITIONS OF USE.....	4
2. UNPACKING	5
3. ASSEMBLY	6
4. USAGE	7
5. MAINTENANCE	8
6. SERVICE AND SPARE PARTS	8
7. GUARANTEE OF THE PRODUCT	8
8. BEFORE YOU START	9
9. DISPOSAL.....	31

Pay special attention to the instructions highlighted as follows:

⚠ WARNING!

A signal word (word label) used to indicate a potentially dangerous situation that can result in death or serious injury, if it is not prevented.

⚠ CAUTION!

A signal word (word label). In case of non-compliance with the instructions, we warn against a potential danger of minor or moderate injury and/or damage to the machine or property.

❗ Important message.

❗ Note: It provides helpful information.

1. CONDITIONS OF USE

⚠ WARNING!

PLEASE READ THE OPERATING INSTRUCTIONS! Read all instructions before operation. Pay special attention to safety instructions. FAILURE TO FOLLOW THE INSTRUCTIONS AND FAILURE TO RESPECT SECURITY MEASURES MAY RESULT IN DAMAGE OF THE PRODUCT OR SERIOUS INJURIES OR EVEN FATAL INJURY.

If you notice any damage during transport or unpacking, notify your supplier immediately. **DO NOT ASSEMBLE THE PRODUCT!**

SPECIFIC TERMS AND CONDITIONS OF USE

This product is exclusively intended for the use:

- intended only as garden shed to store your tools
- according to the corresponding descriptions and safety instructions in these operating instructions.

Any other use is not as intended.

If the product is used for any purpose other than the intended purpose or if unauthorized modification is made, the statutory warranty and statutory responsibility for defects as well as any liability on the part of the manufacturer will be void.

Please keep in mind that our products are not designed for commercial, trade or industrial use according to their intended purpose. We accept no liability if the product is used in these or comparable conditions.

⚠ CAUTION!

The user is liable for all damages caused to third parties or their property.

❗ **Keep these instruction manual and use them whenever you need more information. If you don't understand some of these instructions, contact your dealer. If the product is lent to another person, it is necessary to lent this instruction manual with it.**

2. UNPACKING

- Carefully check all parts after unpacking the product from the box.
- Do not throw away packaging materials until you have not reviewed carefully if they did not remain a part of the product.
- Parts of the packaging (plastic bags, paper clips, etc.) do not leave within reach of children, could be a possible source of danger. There is a danger of swallowing or suffocating!
- If you notice transport damage or while unpacking, notify your supplier immediately. Do not assemble the product!
- We recommend save the package for future use. The packaging materials must still be recycled or disposed of in compliance with the relevant legislation. Sort different parts of the packaging according to material and hand it to the appropriate collection sites. For further information contact your local administration.

❗ Fasteners can become loose during transport in the packaging.

- **Standard accessories are subject to change without notice.**
- This product requires assembly. The product must be assembled correctly before use.
- All of the profiles are marked with a part number corresponding to the numbers given on the drawings and in the parts list. Nuts, bolts and fittings will be found in the relevant package.
- Be careful, when unpacking the parts, not to damage, bend or scratch them.
- The sheets are very soft and easy to bend. Unpack everything carefully on a flat surface. Don't lean sheet nowhere, maybe blowing wind and sheets can fall down and damage or cause personal injury.

SITE SELECTION

- We recommend that you place your garden shed in a spot where it will receive direct sunlight and will be protected from the wind as much as possible. Do not position your garden shed in an area exposed to excessive wind.
- Small trees, bushes or fences nearby can be helpful, acting as a wind break. Avoid overhanging trees as much as possible as leaves will make regular cleaning necessary and broken branches are a potential hazard.
- The door should not face prevailing winds.
- The garden shed must be positioned on a flat level surface.

⚠ CAUTION!

The garden shed must be firmly anchored to the ground, so to withstand strong gusts of wind. By inadequate anchorage you endanger yourself and your surroundings.

❗ For the complete protection of your new garden shed, we advise you to include it in your house insurance.

FOUNDATION

- Please ensure the base is located in the horizontal position, and be sure that all four corners of the base are square. Other case, there can appeared problem with assembly of the garden shed or the garden shed will be distorted.

- The house must be built on a solid foundation. We recommend a concrete base.
- Identify whether earth or underground cables and pipes are present before preparing the site or anchoring the structure.
- Make sure, that the base is solid and balanced, and is possible to drain water from the construction site. While preparing the foundations please pay particular attention to ensure that rain water can not enter underneath the sides of the floor profiles!
- Dimensions of the base should be min. 100 mm larger, than the dimensions of the house. Pay attention to the external dimensions of the building. The manufacturer assumes responsibility for the selection and design of foundations.
- A plastic sheet (vapor barrier) placed under the entire floor area with good ventilation will reduce condensation.

3. ASSEMBLY

ASSEMBLY INSTRUCTIONS

❗ It is advisable that the garden shed be assembled by at least two people. Find someone to help you: it is much easier with someone to hold parts, pass tools etc. This is not very heavy work so would suit most able-bodied people.

- No specific technical knowledge is required for the assembly of the garden shed.
- For assembly you will need the following tools: tape measure, spirit level, angle square, Phillips screwdriver, step ladder, wrench and socket wrench (for dimensions see the list connecting material), hand file tool, work gloves.
- It is outmost importance to assemble all of the parts according to the directions. Do not skip any step.
- Make sure that you check the contents of the garden shed packaging. Do not begin assembly if any parts are missing and immediately contact your dealer. The warranty does not cover damages due to weather conditions on the incomplete garden shed.
- Keep all small parts (screws etc.) in a bowl so they do not get lost.
- Do not attempt to assemble this garden shed if you are tired, have taken drugs or alcohol or if you are prone to dizzy spell.
- Wear proper safety gear including work shoes, gloves and goggles. Profiles and sheets may have sharp edges that can cause injuries.
- **The garden shed assemble in good weather and in daylight or at very good artificial lighting.**
- **Do not attempt to assemble your garden shed in windy or wet conditions or during storm.**
- Keep sharp instruments away from the parts of the garden shed - you can damage it.
- Handle with care! Dropping can bend the frame, and it won't fit properly.
- If local building codes require permits or licenses make sure that they are acquired before beginning.
- The garden shed consists of many parts. Allow at least half a day for assembly process.
- If using power tools or a step ladder always follow the manufacturers safety instructions.
- Keep children and pets away from the assembly area until the work is completed. This can cause them injury.
- Do not lean against or push the garden shed during assembly.

- Take special care not to touch overhead power lines with the aluminium profiles.
- Assemble the garden shed loosely where possible and tighten when all in place so that minor adjustments can be made. Note that some nuts will need to be tightened to keep them in place.
- Check the frame is square and using a spirit level to check that it is upright. Then just tighten all nuts carefully, being sure not to miss any.
- Before installation, remove the protective film.
- Never stand full weight on the roof or any other part of the house.
- The base below the house is suitable insulate with foil etc. This prevents moisture inside and alternatively condensation on walls.
- Don't build the house on the wet and muddy ground.
- The base must be square - the diagonal measurements must be equal. Ensure that the foundation is sufficiently straight, so that the base can be installed horizontally.

❗ The most important installation step is the correct positioning and assembly of the base/basic frame. The basic frame must be perfectly rectangular and horizontal. The ground must therefore be flat.

- **Screw the whole base to base with screws and dowels (not included) for better strength. Attaching to the basics is to the last step, remember that the whole structure you might will have to move in order to fit all the parts.**
- Use a concrete drill and drill through the holes, which can be found in the base.
- Always make sure that the base is rectangular in shape.
- The base of the house or walls don't cover, cause this can make corrosion and complaints would not be recognized.
- **If you have any doubt do not use the garden shed, but have it checked by an authorized service center.**

4. USAGE

- Caution - by entering the garden shed and moving of people in it, it should be avoided contact with structural elements such as transom above the front door, do not forget the roof pitch.
- Keep doors closed and locked to prevent damaging house by strong wind.
- Close all roof vents in high winds, the wind not to could damage the garden shed.
- Hot items such as recently used grills, blowtorches etc. must not be stored in the garden shed.
- Do not store swimming pool chemicals, combustibles and corrosives in your shed.
- Don't lean any objects on wall.
- With the changing temperature will accumulate the condensation inside the house. Good ventilation will help control humidity.

5. MAINTENANCE

- It is important to clear your garden shed of snow in the winter.
- When your garden shed needs to be cleaned, use a mild detergent solution and rinse with cold clean water. DO NOT use solvents, abrasive cleaners or other special detergents to clean the clear panels. It can cause damages of the garden shed. Also, do not clean with sharp, abrasive objects.
- Touch-up scratches as soon as you notice them on your shed. Immediately clean the area and apply touch-up paint.
- Keep roof clear of leaves and snow.
- At least once a year, check all screw joints, structural condition and consolidation of its fill.
- Twice a year, inspect and lubricate all hinges, lock and moving parts.
- Regularly clean the door mechanism. Ensure that the door tracks are cleaned regularly to avoid a build up of debris.
- Continuously check that the anchor of the house is tight and isn't free.

WINTER PROTECTION

In areas where snow might be expected we recommend the following in order to protect your garden shed:

1. Support the ridge at the center of the garden shed.
2. Removed larger snow loads.
3. Take precautions against snow falling down, for instance from a roof.
4. Close the doors and windows, the wind not to damage the garden shed.

6. SERVICE AND SPARE PARTS

- Have your device serviced by a qualified repair personnel using only identical replacement parts. This will ensure that the safety of the device is maintained.
- Whether you need technical advice, repair, or genuine factory replacement parts, contact the **fieldmann** authorized service nearest you. Information on service locations, visit **fieldmann.cz**
- When ordering spare parts, please quote the part number, this can be found at **fieldmann.cz**

7. GUARANTEE OF THE PRODUCT

- For this product we provide a legal warranty, legal responsibility from the defects, for **24 months from receipt**.
- For **corporate, commercial, municipal and other than private use** we provide a legal warranty and legal responsibility for a total of 6 months from receipt.
- All products are designed for home use, unless there is another information in the instruction manual or operation description. When using otherwise or in contradiction with instruction manual the claim is not recognized as legitimate.
- Inappropriate product selection and the fact that the product does not meet your requirements can not be a reason for complaint. Buyer is familiar with the properties of the product.
- Buyer has the right to ask the seller to check the functionality of the product and become familiar with its operation.

- A prerequisite for receiving warranty claims is that the guidelines for operating, servicing, cleaning, storage and maintenance were followed.
- Damage caused by natural wear and tear, overloading, improper use or intervention outside the authorized service during the warranty period, are excluded from the guarantee.
- Warranty does not cover wear and tear of components known as common consumables .
- From the warranty are excluded wear and tear of the product or parts caused by normal use of the product or parts of the product and other parts subject to natural wear and tear.
- By the goods sold at a lower price, the warranty does not cover defects for which the lower price was negotiated.
- Damage resulting from defects in material or manufacturer error will be eliminated free of charge by replacement delivery or repair. It is assumed that the product returns to our service center undismantled and with proof of purchase.
- Cleaning, maintenance, inspection and alignment tools aren't the warranty act and are paid services.
- For repairs that are not subject to warranty, you can have it repaired in our service center as paid service. Our service center will be happy to draw up a costs budget.
- We shall consider the products only that have been delivered clean, complete, in case of sending also packed sufficiently and paid. Products sent as unpaid, as bulky goods, express or by special shipping - will not be accepted.
- In case of justified warranty claim, please contact our service center. There you will receive additional information on processing claims.
- Information about service locations see at **fieldmann.cz**
- We dispose of your old electrical appliances free of charge.

8. BEFORE YOU START

Owner's Manual

Prior to installation, it is important that you contact your local government authority to determine if building approval is required. Study and understand this owner's manual. Important information and helpful tips will make your construction easier and more enjoyable.

Assembly instructions

Instructions are supplied in this manual and contain all appropriate information for your building model. Review all instructions before you begin. During assembly, follow the step sequence carefully for correct results. Please be aware: **this unit takes two people about one full day to complete.**


Parts

Check to be sure that you have all the necessary parts for the building.

Separate contents of the carton by the part number while reviewing parts list.


Familiarize yourself with the hardware and fasteners for easier use during construction. These are packaged within the carton. Note that extra fasteners have been supplied for your convenience.

TOOLS MAY REQUIRED



Use heavy duty gloves when handling steel sheets and flashing

PLAN AHEAD



It requires two people a full day to complete installation

Watch the weather:

Please be sure the day you select for installation is dry and calm.

DO NOT attempt to assemble your shed in windy weather because of risk of damage to panels, or personal injury. Be careful of wet or muddy ground.

Teamwork:

Whenever possible, two or more people should work together to assemble the building. One person can position parts or panels while the other is able to handle the fasteners and the tools.

Site Selection

- Avoid overhanging trees as much as possible as leaves will make regular cleaning necessary and broken branches are a potential hazard.
- Small trees, bushes or fences nearby can be helpful, acting as a wind break.

Site Preparation

The site must be prepared so that the base of the shed is level all round and checking with a spirit level is required.

The base can be constructed by treated timber or concrete, in order to stop the moisture getting into the shed. **The shed is not designed to be built onto lawn directly.** Also the ground will get muddy during rainy days.

If a concrete pad is made, it is important that this slopes towards the edges to prevent water ingress.

Time must be allowed for any concrete or cement to dry before building the shed on top.

Bases can also be constructed from bricks, blocks, or mounted on a concrete pad.

The bricks or blocks should be cemented onto firm and level concrete footings and the garden shed frame drilled and screwed to the base.

IMPORTANT NOTES:


- Find someone to help you: it is much easier with someone to hold parts, pass tools etc. Also some steps require two people to lift structures together. This is not very heavy work so would suit most able-bodied people.
- Allow plenty of time: rushing often causes errors and the re-doing of incorrect assemblies. If you have never built a shed before, it can take most of a day to carefully complete the construction.
- Have the right tools to hand.
- Safety clothing as recommended in the 'Tools' section.
- Ideally lay out the parts and check that all are present before commencing construction. Lay on cloths or plastic sheets if there is any risk of scratching the parts.
- Tighten all nuts carefully, being sure not to miss any. Check the frame is square and using a spirit level to check that it is upright.

NO.	PART	Qty.
1L	 1169mm	2
1R	 1169mm	2
2L	 1490mm	1
2R	 1490mm	1
3L	 916mm	1
3R	 916mm	1
4L	 1720mm	1
4R	 1720mm	1
5	 1246mm	1
6	 1304mm	1
7	 1426mm	1
8	 1426mm	1
9	 1115mm	2
10L	 1439mm	1
10R	 1439mm	1
11	 1115mm	2
12	 353.5mm	2
13	 1173.3mm	2
14	 1173.3mm	2
15-1	 1090mm	1
15-2	 1090mm	1



NO.	PART	Qty.
16	 1243.8mm	1
16-1	 1243.8mm	1
17L	 1540mm	2
17R	 1540mm	2
18	 654.5mm	6
19	 1090mm	1
20	 1304mm	1
21L	 2	2
21R	 2	2
22L	 1118mm	2
22R	 1118mm	2
23L	 1439mm	1
23R	 1439mm	1
24-1	 1304mm	1
24-2	 1304mm	1
B1	 182mm	2
B2	 182mm	2
B3	 371mm	2
B4	 371mm	2

NO.	PART	Qty.
P1	 1720mm	2
P2	 1720mm	4
P3	 1720mm	5
P4	 1720mm	4
P5	 1540mm	2
P6	 1540mm	2
P7	 1540mm	2
P8	 1540mm	2
G2		4
GD		4
GF		4
GB		2
GC		4
GE		2
F1		420
F2		65
F3		9
S2		290
S3		384




NO.	PART	Qty.
D1	 1710x659mm	1
D2	 1710x659mm	1





NO.	PART	Qty.
1L		2
1R		2




NO.	PART	Qty.
2L		1
2R		1










1. When diagonal measurements are equal, the frame is square.






2. The Floor Frame must be BOTH square AND level or the holes will not line up properly.






NO.	PART	Qty.
P2		1






NO.	PART	Qty.
P4		1





NO.	PART	Qty.
22L		1






NO.	PART	Qty.
23R		1






NO.	PART	Qty.
P3		1






NO.	PART	Qty.
P4		1





NO.	PART	Qty.
23L		1






NO.	PART	Qty.
22R		1




NO.	PART	Qty.
P1		1







NO.	PART	Qty.	NO.	PART	Qty.
21L		2	B3		2
21R		2	B4		2
B1		2	12		2
B2		2			






NO.	PART	Qty.
GF		4





NO.	PART	Qty.
10L		1
10R		1






NO.	PART	Qty.
7		1
8		1
G2		4






NO.	PART	Qty.
P2		3
P3		4




NO.	PART	Qty.
13		2
14		2





NO.	PART	Qty.
16		1
16-1		1





NO.	PART	Qty.
4L		1
4R		1
6		1





NO.	PART	Qty.
P5		1
P6		1





NO.	PART	Qty.
P7		2




NO.	PART	Qty.
P8		2






NO.	PART	Qty.
P5		1
P6		1




NO.	PART	Qty.
17L		2
17R		2





NO.	PART	Qty.
19		1
20		1
GE		2



NO.	PART	Qty.
15-1&15-2		1
24-1&24-2		1
GC		4




NO.	PART	Qty.
D1		1
D2		1
GB		2




x2


NO.	PART	Qty.
18		6



x2


NO.	PART	Qty.
GD		4







Attention!



9. DISPOSAL

INSTRUCTIONS AND INFORMATION REGARDING THE DISPOSAL OF USED PACKAGING MATERIALS

Dispose of used packaging material at a site designated for waste in your municipality.

DISPOSAL OF USED ELECTRICAL AND ELECTRONIC EQUIPMENT



This symbol on products or original documents means that used electric or electronic products must not be added to ordinary municipal waste. For proper disposal, renewal and recycling hand over these products to determined collection points. Or as an alternative in some European Union states or other European countries you may return your products to the local retailer when buying an equivalent new product. Correct disposal of this product helps save valuable natural resources and prevents damage to the environment caused by improper waste disposal. Ask your local authorities or collection facility for more details. In accordance with national regulations penalties may be imposed for the incorrect disposal of this type of waste.

For business entities in European Union states

If you want to dispose of electric or electronic appliances, ask your retailer or supplier for the necessary information. Disposal in other countries outside the European Union. This symbol is valid in the European Union. If you wish to dispose of this product, request the necessary information about the correct disposal method from the local council or from your retailer.



This product meets all the basic requirements of EU directives related to it.

Changes in the text, design and technical specifications may be made without prior notice and we reserve the right to make such changes.

User's manual in the original language.